## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10588456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 14:10
\$2	2	JP-2002271392-\$. DID. OR JP-8274782- \$.DID. OR JP- 8154093-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 14:12
<b>S</b> 3	33	koichi near3 ebata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:49
S4	1	S3 and subordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:57
S5	1652	subordinate with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:58
<b>S</b> 6	3274	370/349.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:59
<b>S</b> 7	7	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:59

S8	256090	("370"/.clas. "455"/. clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S9	3274	S6 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S10	3267	S9 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S11	194	S10 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S12	154	S11 and (packet with (information address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:04
S13	0	S12 and ((identical) with (subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:05
S14	20	S12 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:05
S15	41971	(virtual adj5 (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:09

S16	18	S8 and S5 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:10
S17	4	S16 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:10
S18	62	S5 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:13
S19	11	S18 and ((subnet sub \$1 net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:13
S20	6	S5 and (virtual with (lan ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:40
S21	1	S20 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:41
S22	15	S18 and ((subnet\$5 sub\$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:42
S23	758261	(connection connect connected) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:46

S24	538	S23 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:47
S25	22	S24 and ((subnet\$5 sub\$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:47
S26	373	(identical with (subnet\$5 sub\$1 net \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:54
S27	2	S5 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:55
S28	285709	terminal with operation\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:23
S29	137	S5 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:24
S30	5	S29 and ((subnet\$5 sub\$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:24
S31	65533	terminal with (active online)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:25

S32	8	S26 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:26
S33	0	S5 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:26
S34	19	S5 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:28
S35	67944	(terminal device ms mobile) with detect \$4 with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:29
S36	114	S5 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S37	1	\$36 and ((subnet\$5 sub\$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S38	1	\$36 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S39	12495	(terminal device ms mobile) with (determin\$4 detect \$4) with (status operation\$3) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:36

S40	30	S5 and S39	US-PGPUB;	OR	ON	2008/09/19
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:37
S41	38	S6 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:44
S42	38	S41 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:44
S43	4	10/080995	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:59
S44	19	subordinate and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:49
S45	126	subordinate with ((access adj3 point) (ap ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:53
S46	1	S6 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:53
S47	8943	(terminal device ms mobile) with (off \$1line offline disconnect\$4) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:54

S48	28	S6 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:55
<b>S</b> 49	4454	(detect\$4 with status) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:03
S50	1495	S6 and ((detect\$4 with (operation status)) with terminal with ((access adj3 point) (base )adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:04
S51	7	S6 and ((detect\$4 with (operation status)) with terminal with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:04
S52	31	S6 and (updat\$5 with terminal with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:07
S53	14082212	(updat\$5 with (mobile device wireless terminal) with (disconnect\$5 dis\$1connect\$5 offline off\$1line) ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:19
<b>S</b> 54	61	(updat\$5 with (mobile device wireless terminal) with (disconnect\$5 dis\$1connect\$5 offline off\$1line) with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:20

S55	29	S8 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:21
S56	6	((access adj3 point) ap ) with authenticat \$4 with compar\$4 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:14
S57	140	((access adj3 point) ap ) with authenticat \$4 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:21
S58	17	((access adj3 point) ap ) with authenticat \$4 with regist\$7 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:21
S59	25	((access adj3 point) ap ) near5 regist\$7 near5 (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:22
S60	26	((access adj3 point) ap ) near5 regist\$7 near5 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:23
S61	19	((access adj3 point) ap ) near5 authenticat\$5 near5 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:25
S62	10	((access adj3 point) ap ) near9 comparing near9 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:28

S63	24	((access adj3 point) ap ) near9 comparing near9 stored near9 ( information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:30
S64	1	PCT/JP05/02175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:03
S65	10	JP-2002271392-\$. DID. OR US- 2681420-\$.DID. OR JP-08274782-\$.DID. OR US-4101824-\$. DID. OR JP- 08154093-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/15 16:05
S66	12	SUGIMURA NEAR3 HAJIME	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:05
S67	943	((base near3 station) (access near3 point) ap) with address with packet with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:35
S68	4	((base near3 station) (access near3 point) ap) with address with packet with destination with subordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:35
S69	65	((base near3 station) (access near3 point) ap) with address with packet with transfer with information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:39
S70	71	S67 same (subnet subordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:45

S71	222	((base near3 station) (access near3 point) ap) with address with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:47
S72	4	S71 same (subnet subordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:47
S73	1	((base near3 station) (access near3 point) ap) with retain\$4 with address with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:50
S74	3	((base near3 station) (access near3 point) ap) with retain\$4 with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:50
S75	65	((base near3 station) (access near3 point) ap) with address with packet with transfer with information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:51
S76	89	((base near3 station) (access near3 point) ap) with address with (packet near2 transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:52
S77	1753	(manag\$4 with terminal with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:54
S78	4	S67 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:54

S79	1188	((base near3 station) (access near3 point) ap) with terminal with list		OR	ON	2009/06/16 10:55
S80	26	S67 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:55

## 6/16/2009 6:21:58 PM

C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10588456 RADIO NETWORK MONITOR DEVICE AND MONITOR SYSTEM.wsp